



55SR Excavation Used Hydraulic Excavator Machines

Basic Information

- Place of Origin:
- Brand Name:
- Model Number: 55

Japan

Kobelco Excavator

- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

	55SR
y:	1 Set
	Negotiable
	Container, Bulk
	5-10 Work days
	L/C, T/T, D/A, D/P, Western Union, MoneyGram
	About 100 units are supplied every month



Product Specification

Counterweight Ground Clearance:	635 Mm
 Track Ground Length: 	1970 Mm
 Total Track Length: 	2480mm
 Boom Rotation Angle (left/right): 	70/60°
Bulldozing Board Width × Height:	1960*345mm
 Dozer Blade Lifts Or Pushes: 	495/375mm
• Tank:	53.0L
• Hydraulic Tank:	42L
 Main Pump TypeMain Pump Type: 	Duplex Variable Displacement Axial Pistor Pump + 2 Pilot Gear Pumps
Main Relief Set Pressure:	23.0 Mpa
• Highlight:	55SR Used Hydraulic Excavator, Excavation Used Hydraulic Excavator,

Product Description

Climbing Ability 70% 55SR Used Hydraulic Excavator Diesel Engine

Product Description

Kobelco 260 has convenient maintenance: Reasonably designed maintenance points and easily disassembled parts facilitate repair and maintenance, reducing maintenance costs and downtime. In general, Kobelco SK55SR excavator has the characteristics of powerful power system, stable working performance, all-round operability, comfortable driving experience and convenient maintenance.

Product Details:

- The track shoe width:400mm
- The minimum ground clearance:400mm The maximum digging radius:4070mm
- The maximum excavation radius of parking surface:3680mm
- The maximum digging depth:3590mm
- The maximum digging height:5210mm
- The maximum vertical digging depth:3160mm





 Xuanjue Serve For You, Best Quality And Lowest Price
 Q1. What payment method? Payment is negotiable
 Q2. Will our company provide any service to the machine?

