



Caterpillar Used Excavation Equipment Mini Hydraulic Excavator 306E2 6T

Our Product Introduction

for more products please visit us on used-excavatormachine.com

Basic Information

- Place of Origin: America
- Brand Name: CAT
- Model Number: Caterpillar 306E2
- Minimum Order Quantity: 1 Set
- Price: USD 18000/piece
- Packaging Details: Container ,Bulk
- Delivery Time: 5-8 Work Days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: About 100 units are supplied every month



Product Specification

- Brand Name: CAT
- Model Name: Caterpillar 306E2
- Weight: 6 Ton
- Machine Working Weight: 5800kg
- Bucket Capacity: 0.25m³
- Boom Length: 3200mm
- Dipper Length: 1650mm
- Rotation Speed: 10.5rpm
- Rotary Torque: 14.2Nm
- Walking Speed: 4.3km/h
- Climbing Ability: 25%
- Bucket Digging Force: 39KN
- Highlight: Caterpillar used excavation equipment,
306E2 used excavation equipment,
Caterpillar mini hydraulic excavator

Product Description

Small Hydraulic Used CAT Excavators 306E2 6 Ton Machine

Product Description:

Caterpillar 306E2 is a hydraulic excavator that was launched in 2015 and received widespread attention from the market. This excavator has three major features: First, save fuel. E-series excavators have improved fuel efficiency through a newly designed hydraulic system, resulting in a breakthrough reduction in fuel consumption. The second point is stability. The side-mounted arm makes the 306E2 operation more stable and smooth. The third point is reliability. CAT has always attached great importance to safety in use, such as the all-steel back cover, glue-injected cab glass, and 306E2 main valve anti-smashing design to ensure the reliability of the equipment under harsh working conditions.

Product Details:

Displacement: 2.4L;
Bore × stroke: 87mm×102.4mm;
Fuel tank capacity: 78L;
Hydraulic tank capacity: 58L;
Hydraulic system capacity: 85L;
Engine oil replacement volume: 9.5L;
Coolant capacity: 8.3L;
Total transportation width: 1950mm;
Total track length: 2440mm;
Track shoe width: 400mm;
Rear end turning radius: 1580mm;
Maximum digging radius: 6090mm;
Maximum digging depth: 3870mm;
Maximum digging height: 5530mm;
Maximum unloading height: 3900mm.

Advantage:

- 1, Powerful digging force: 306E2 has high digging force and can easily dig hard soil and rocks.
- 2, Flexible operation: The 306E2 has high operational flexibility and can perform excavation operations in small spaces.
- 3, Comfortable operating environment: The 306E2 is equipped with a spacious cab, providing the operator with a comfortable working environment.
- 4, Efficient Hydraulic System: The 306E2's hydraulic system is highly efficient and allows for fast excavation operations.
- 5, Durability: 306E2 uses high-quality materials and advanced manufacturing processes to provide high durability.
- 6, Safety: 306E2 is equipped with various safety devices, such as safety locks, seat belts, etc., to ensure the safety of the operator.
- 7, Easy maintenance: The 306E2 is very easy to maintain and can be quickly maintained and repaired.

Gallery:







Packing&Shipping:

F & Q

Xuanjue Serve For You, Best Quality And Lowest Price

Q1. What payment method?

Payment is negotiable

Q2. Will our company provide any service to the machine?

Yes! Before we deliver the machine, we will test, check, service, maintenance and clean it the machine.

Q3. What's the MOQ ?

MOQ is 1set. FOB or others can be negotiated.

Q4. What's the payment terms?

FOB or others can be negotiated.

Q5. Who pays the freight?

This is determined based on the payment method. We can either find a freight forwarder or the customer can designate a freight forwarder.

If you have any questions, you can call and send an email at any time and leave a message. We will answer you as soon as possible after seeing it.



Hefei Xuanjue Construction Machinery Co., Ltd.



13385604601



used-excavatormachine.com

Sanshitou,Xinzhan District,Feidong County,Hefei City,Anhui Province,China